

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10579405"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 06:41
L2	58	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and (security same interface) and (serv\$4 same gateway) and (phone adj number) and @ad< = "20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/14 06:46
L3	1	"6625734".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 07:46
S1	1324	455/410.cdis.	US-PGPUB; USPAT	OR	ON	2008/07/29 16:20
S2	668	455/439.cdis.	US-PGPUB; USPAT	OR	ON	2008/07/29 16:22
S3	3	(S1 or S2) and tunnel\$4 and (protocol near context)	US-PGPUB; USPAT	OR	ON	2008/07/29 16:33
S4	69	interface and tunnel\$4 and (protocol adj context) and payload	US-PGPUB; USPAT	OR	ON	2008/07/30 14:05
S5	24	interface and tunnel\$4 and (protocol adj context) and payload and security and @ad< = "20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 14:08
S6	1	"10579405"	US-PGPUB; USPAT	OR	ON	2008/07/30 14:52
S7	1	"20010014150"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:02
S8	1	"20030061506"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:05
S9	1	"6711147".pn.	US-PGPUB; USPAT	OR	ON	2008/07/30 15:11
S10	94	"6092194"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:26
S11	1	"6092194".pn.	US-PGPUB; USPAT	OR	ON	2008/07/30 15:26
S12	1	"20040103311"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:26
S13	1	"20020161905"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:31

S14	15	interface and tunnel\$4 and (protocol adj context) and payload and security and GPRS and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 15:45
S15	25	(gateway or node or interface) and (tunnel\$4 or detunnel\$4) and (protocol adj context) and payload and security and (GPRS and IMSI or access or phone) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 16:23
S16	16	(gateway or node or interface) and (tunnel\$4 or detunnel\$4) and (protocol adj context) and payload and security and GPRS and (IMSI or access or phone) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 16:23
S17	7	(gateway or node or interface) and (tunnel\$4 or detunnel\$4) and (protocol adj context) and payload and security and GSN and (IMSI or access or phone) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 16:25
S18	7	(gateway or node or interface) and (tunnel\$4 or detunnel\$4) and (protocol adj context) and payload and security and GSN\$2 and (IMSI or access or phone) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 16:26
S19	132341	(gateway or node or interface) same (connect\$4 or attach\$4) same serv\$4 and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 17:05
S20	2329	(gateway or node or interface) same (connect\$4 or attach\$4) same (SGSN or GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 17:06
S21	62	(gateway or node or interface) near (connect\$4 or attach\$4) near (SGSN or GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 17:07
S22	7	(gateway or node or interface) near (connect\$4 or attach\$4) near (SGSN and GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/07/30 17:08

S23	1	"5764699".pn.	US-PGPUB; USPAT	OR	ON	2008/07/30 17:18
S24	0	{security same (gateway or node or interface)) near (connect\$4 or attach\$4 or link\$4) near (SGSN and GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/01 16:13
S25	163	{security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) same (SGSN and GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/01 16:13
S26	14	{security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) near (SGSN and GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/01 16:14
S27	0	"20040028034"	USPAT	OR	OFF	2008/08/06 14:49
S28	23	"67111147"	US-PGPUB; USPAT	OR	ON	2008/08/06 16:56
S29	1	"67111147".pn.	US-PGPUB; USPAT	OR	ON	2008/08/06 16:56
S30	447	{security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) same (SGSN or serving) and (gateway or GGSN) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/07 12:00
S31	363	{security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) same ((SGSN or serving) and (gateway or GGSN)) and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/07 12:01
S32	141	{security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) same ((SGSN or serving) and (gateway or GGSN)) and tunnel\$4 and packet\$1 and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/07 12:02

S33	120	(security same (gateway or node or interface)) same (connect\$4 or attach\$4 or link\$4) same ((SGSN or serving) and (gateway or GGSN)) and tunnel\$4 and packet\$1 and context and @ad<="20041013"	US-PGPUB; USPAT	OR	ON	2008/08/07 12:04
S34	0	"10579405"	USPAT	OR	OFF	2008/08/07 17:32
S35	1	"10579405"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/07 17:33
S36	1	"20040028034"	US-PGPUB; USPAT	OR	OFF	2008/08/11 13:07
S37	521	security and (PDP or protocol) adj context and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 14:31
S38	521	security and ((PDP or protocol) adj context) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 14:31
S39	152	security same ((PDP or protocol) adj context) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 14:31
S40	88	security same ((PDP or protocol) adj context) and tunnel\$4 and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 14:31
S41	36	security same ((PDP or protocol) adj context) same tunnel\$4 and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 14:32
S42	0	security same ((PDP or protocol) adj context) same tunnel\$4 and destroy\$4 and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:26
S43	6	((PDP or protocol) adj context) same tunnel\$4 and destroy\$4 and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:26
S44	0	((PDP or protocol) adj context) same tunnel\$4 same destroy\$4 and unauthorized and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:31
S45	0	((PDP or protocol) adj context) and tunnel\$4 and destroy\$4 and unauthorized and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:31

S46	370	tunnel\$4 and destroy\$4 and unauthorized and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:31
S47	2	tunnel\$4 same destroy\$4 same unauthorized and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:31
S48	3	tunnel\$4 same (destruction or destroy\$4) same (illegal or unauthorized) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:32
S49	9	((PDP or protocol) adj context) and tunnel\$4 and (remov\$4 or destroy\$4) and (illegal or unauthorized or unidentif\$4) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:34
S50	6	((PDP or protocol) adj context) and tunnel\$4 and (remov\$4 or destroy\$4) same data and (illegal or unauthorized or unidentif\$4) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:42
S51	6	((PDP or protocol) adj context) and tunnel\$4 and ((remov\$4 or destroy\$4) same data) and (illegal or unauthorized or unidentif\$4) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:42
S52	94	(destroy\$4 adj data) same (illegal or unauthorized or unidentif\$4) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:51
S53	11	(destroy\$4 adj data) same (((illegal or unauthorized or unidentif\$4) adj user\$1) and @ad<="20041013"	US-PGPUB; USPAT	OR	OFF	2008/08/11 18:51
S54	548	(tunnel\$4 or detunnel\$4) and (protocol same context) and security and encapsulat \$4 and packet\$1 and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:25
S55	431	(tunnel\$4 or detunnel\$4) and (protocol same context) and security and encapsulat \$4 and packet\$1 and serv\$4 and gateway and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:26

S56	380	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and security and (serv\$4 same gateway) and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:27
S57	0	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and (security adj interface) and (serv\$4 same gateway) and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:27
S58	168	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and (security same interface) and (serv\$4 same gateway) and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:27
S59	57	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and (security same interface) same (serv\$4 same gateway) and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:28
S60	57	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and ((security same interface) same (serv\$4 same gateway)) and @ad<="20041013"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:28
S61	1	"60544333"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 12:32
S62	55	(tunnel\$4 or detunnel\$4) and (protocol same context) and encapsulat\$4 and packet \$1 and ((security same interface) same (serv\$4 same gateway)) and @ad<="20040217"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 14:24

8/14/2008 7:59:34 AM

C:\Documents and Settings\khurst\My Documents\EAST\Workspaces\10579405.wsp